



Proudly Owned and Operated in the USA

Searchable via: FreedomDiagnosticsTesting.com

Product	KLOW 10/50
Net Peptide Content	GHK-Cu- 50.91 mg KPV- 9.82 mg BPC-157- 9.42 mg Thymosin Beta-4- 9.97 mg
Identity	GHK-Cu/KPV/BPC-157/ Thymosin Beta-4

Certificate of Analysis




Accession Number	2510060116
Client	Felix Chemical Supply
Search Code	Feli2510060116

Received Date:	10/6/2025
Reported Date:	10/8/2025

Lot	100425-KLO-D
Purity	99.55%
Appearance	Blue Lyophilized Powder

All Chemical Analysis was performed by HPLC with UV Detection Coupled with Mass Spectrometry

Mass Identification	Result
GHK-Cu/KPV/BPC-157/Thymosin Beta-4	99.55%



Stephen Schmidt

Stephen Schmidt
Principal Chemist

COA: 2510060116

The peptide purity analysis reported here was conducted using LCMS/MS under standard laboratory conditions. This analysis is intended for informational purposes only and is specific to the sample(s) provided. The peptides tested are intended for research use only and are not approved for human or veterinary use, diagnostic, therapeutic, or clinical applications. Results should be interpreted by qualified professionals within the scope of the intended research. The accuracy and reliability of the test may be influenced by sample integrity, handling, and other experimental variables.

Searchable via: FreedomDiagnosticsTesting.com

Contact at: Admin@FreedomDiagnostics.net



Proudly Owned and Operated in the USA

Searchable via: [FreedomDiagnosticsTesting.com](https://freedomdiagnostics.com/testing)

Product	KLOW 10/50
---------	------------

Certificate of Analysis

Accession Number	2510060117
Client	Felix Chemical Supply
Search Code	Feli2510060117

Received Date:	10/6/2025
Reported Date:	10/8/2025

Lot	100425-KLO-D
-----	--------------

All analyses are conducted for research purposes and performed in duplicate in accordance with USP <85> guidelines

Endotoxin Threshold		Result
Replicate 1	≤ 0.05 EU/mL	Pass
Replicate 2	≤ 0.05 EU/mL	Pass



Stephen Schmidt

Stephen Schmidt
Principal Chemist

The peptide purity analysis reported here was conducted using LCMS/MS under standard laboratory conditions. This analysis is intended for informational purposes only and is specific to the sample(s) provided. The peptides tested are intended for research use only and are not approved for human or veterinary use, diagnostic, therapeutic, or clinical applications. Results should be interpreted by qualified professionals within the scope of the intended research. The accuracy and reliability of the test may be influenced by sample integrity, handling, and other experimental variables.

COA: 2510060117

Searchable via: [FreedomDiagnosticsTesting.com](https://freedomdiagnostics.com/testing)

Contact at: Admin@FreedomDiagnostics.net