



Proudly Owned and Operated in the USA

Searchable via: FreedomDiagnosticsTesting.com

Product	DSIP
Net Peptide Content	9.87 mg
Identity	DSIP

Certificate of Analysis



Accession Number	2510220007
Client	FELIX CHEMICAL SUPPLY
Search Code	FELI2510220007

Received Date:	10/22/2025
Reported Date:	10/24/2025

Lot	102125-DSP9
Purity	99.438%
Appearance	White Lyophilized Powder

All Chemical Analysis was performed by HPLC with UV Detection Coupled with Mass Spectrometry

Mass Identification	Result
DSIP	99.438%



Stephen Schmidt

Stephen Schmidt
Principal Chemist

COA: 2510220007

The peptide purity analysis reported here was conducted using LCMS/MS under standard laboratory conditions. This analysis is intended for informational purposes only and is specific to the sample(s) provided. The peptides tested are intended for research use only and are not approved for human or veterinary use, diagnostic, therapeutic, or clinical applications. Results should be interpreted by qualified professionals within the scope of the intended research. The accuracy and reliability of the test may be influenced by sample integrity, handling, and other experimental variables.

Searchable via: FreedomDiagnosticsTesting.com

Contact at: Admin@FreedomDiagnostics.net



Proudly Owned and Operated in the USA

Searchable via: [FreedomDiagnosticsTesting.com](https://freedomdiagnostics.com/testing)

Product	DSIP
---------	------

Certificate of Analysis

Accession Number	2510220008
Client	FELIX CHEMICAL SUPPLY
Search Code	FELI2510220008

Received Date:	10/22/2025
Reported Date:	10/24/2025

Lot	102125-DSP9
-----	-------------

All analyses are conducted for research purposes and performed in duplicate in accordance with USP <85> guidelines

Endotoxin Threshold		Result
Replicate 1	≤ 0.05 EU/mL	Pass
Replicate 2	≤ 0.05 EU/mL	Pass



Stephen Schmidt

Stephen Schmidt
Principal Chemist

COA: 2510220008

The peptide purity analysis reported here was conducted using LCMS/MS under standard laboratory conditions. This analysis is intended for informational purposes only and is specific to the sample(s) provided. The peptides tested are intended for research use only and are not approved for human or veterinary use, diagnostic, therapeutic, or clinical applications. Results should be interpreted by qualified professionals within the scope of the intended research. The accuracy and reliability of the test may be influenced by sample integrity, handling, and other experimental variables.

Searchable via: [FreedomDiagnosticsTesting.com](https://freedomdiagnostics.com/testing)

Contact at: Admin@FreedomDiagnostics.net