

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

Retatrutide - 10mg

Tested for: Felix Chem LLC

PASS

COA #: COA-2026-TJ2YIE
Lot Number: 051126-R10-6
Accession #: ACC-2026-2489
Concentration: 10mg
Sample Matrix: Lyophilized

Method: Full QC Panel
Analysis Date: 05/20/2026
Appearance: Good
Volume: 3mL
Received: 05/14/2026



Scan to verify
authenticity at ils-lab.com

Identity

Retatrutide

Purity

99.75%



Fentanyl
Free


Full QC Panel

Analyte	Specification	Result	Unit	Status
Purity (HPLC)	>= 95.0%	99.75%	%	PASS
Net Peptide Content	Report Only	10.43	mg	N/A
Identity (ID)	Histidine; Retatrutide	Confirmed	-	PASS
Identity (ID)	Histidine; Retatrutide	Confirmed	-	PASS
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	Not Detected	-	PASS



Retatrutide 10mg - 051126-R10-6

HPLC Chromatogram



Retatrutide 10mg - 051126-R10-6: UV Chromatogram



Dr. Greg Kalyuzhny

Dr. Greg Kalyuzhny
Lab Director
5/20/2026

COA #: COA-2026-TJ2YIE
Access Code: TVW3TLIE
Verify: portal.ils-lab.com/verify/Odm-WGf_aqm7_GDg
Issued: 5/20/2026

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

Retatrutide - 10mg

Tested for: Felix Chem LLC

PASS

COA #: COA-2026-TJ2YIE
Lot Number: 051126-R10-6
Accession #: ACC-2026-2489
Concentration: 10mg
Sample Matrix: Lyophilized

Method: Full QC Panel
Analysis Date: 05/20/2026
Appearance: Good
Volume: 3mL
Received: 05/14/2026



Scan to verify
authenticity at ils-lab.com

Heavy Metals Analysis (ICP-MS)

Test	Specification	Result	Status
Arsenic (As)	NMT 1.5 ppm	Not Detected	PASS
Cadmium (Cd)	NMT 0.5 ppm	Not Detected	PASS
Chromium (Cr)	NMT 10 ppm	Not Detected	PASS
Mercury (Hg)	NMT 1.5 ppm	Not Detected	PASS
Lead (Pb)	NMT 1 ppm	Not Detected	PASS

Sterility Testing (PCR)

Test	Specification	Result	Status
Sterility (PCR)	No Growth	No Growth	PASS

Endotoxin Testing (USP <85>)

Test	Specification	Result	Status
Endotoxin (USP <85>)	Report Result	NMT 0.05 EU/mL	Reported

Notes & Methodology

- Date Tested: 05/20/2026. Methods: Full QC Panel.
- The sample was confirmed to be Retatrutide by HPLC. Identification by chromatographic retention time comparison with a reference standard.
- Elemental impurities analyzed by ICP-MS per USP <233> methodology. Acceptance criteria are internal laboratory quality screening limits for research-use materials and do not represent evaluation against any specific pharmacopeial monograph or product specification.
- Endotoxin acceptance limits are product-specific. Results reported for client evaluation.



Dr. Greg Kalyuzhny
Lab Director
5/20/2026

COA #: COA-2026-TJ2YIE
Access Code: TVW3TLIE
Verify: portal.ils-lab.com/verify/Odm-WGf_aqm7_GDg
Issued: 5/20/2026