

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

Tirzepatide - 30mg

Tested for: Felix Chem LLC

PASS

COA #: COA-2026-P4NCBE
Lot Number: 051426-T30-6
Accession #: ACC-2026-2749
Labeled Content: 30mg
Sample Matrix: Lyophilized

Method: Full QC Panel
Analysis Date: 05/23/2026
Appearance: Good
Vial Size: 3mL
Date Received: 05/18/2026



Scan to verify
authenticity at ils-lab.com

Identity

Tirzepatide

Peptide Purity

99.86%



Fentanyl
Free


Purity & Quant (HPLC)

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	99.86%	%	PASS
Net Peptide Content	Report Only	31.22	mg	N/A
Identity (ID)	Tirzepatide	Confirmed	-	PASS
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	Not Detected	-	PASS



Tirzepatide 30mg - 051426-T30-6

HPLC Chromatogram



Representative chromatogram, Conformity V1 (99.86% purity, closest to batch mean of 99.85%)

HPLC Conformity Testing Results (3 samples tested)

Sample	Purity	NPC	ID	Result
Dedicated V0	99.83%	31.61 mg	Confirmed	PASS
Conformity V1	99.86%	31.22 mg	Confirmed	PASS
Conformity V2	99.86%	32.1 mg	Confirmed	PASS
Mean	99.85%	31.64 mg	—	—
Std Dev	0.0141%	0.3600 mg	—	—



Dr. Greg Kalyuzhny

Dr. Greg Kalyuzhny
Lab Director
5/31/2026

COA #: COA-2026-P4NCBE
Access Code: UXCXWLSC
Verify: portal.ils-lab.com/verify/_NJOEGTIDLt6vK2M
Issued: 5/31/2026

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

Tirzepatide - 30mg

Tested for: Felix Chem LLC

PASS

COA #: COA-2026-P4NCBE
Lot Number: 051426-T30-6
Accession #: ACC-2026-2749
Labeled Content: 30mg
Sample Matrix: Lyophilized

Method: Full QC Panel
Analysis Date: 05/23/2026
Appearance: Good
Vial Size: 3mL
Date Received: 05/18/2026



Scan to verify
authenticity at ils-lab.com

Heavy Metals Analysis (ICP-MS)

Test	Specification	Result	Status
Arsenic (As)	NMT 1.5 ppm	Not Detected	PASS
Cadmium (Cd)	NMT 0.5 ppm	Not Detected	PASS
Chromium (Cr)	NMT 10 ppm	Not Detected	PASS
Mercury (Hg)	NMT 1.5 ppm	Not Detected	PASS
Lead (Pb)	NMT 1 ppm	Not Detected	PASS

Sterility Testing (PCR)

Test	Specification	Result	Status
Sterility (PCR)	No Growth	No Growth	PASS

Endotoxin Testing (USP <85>)

Test	Specification	Result	Status
Endotoxin (USP <85>)	Report Result	0.057 EU/mL	Reported

About this result: Endotoxin is reported as a quantitative value. Acceptable limits vary by product type and matrix, so no universal pass/fail threshold applies to RUO products. This result is below commonly referenced endotoxin thresholds.

Notes & Methodology

- Date Tested: 05/23/2026. Methods: Purity & Quant (HPLC).
- The sample was confirmed to be Tirzepatide by HPLC. Identification by chromatographic retention time comparison with a reference standard.
- Elemental impurities analyzed by ICP-MS per USP <233> methodology. Acceptance criteria are internal laboratory quality screening limits for research-use materials and do not represent evaluation against any specific pharmacopeial monograph or product specification.
- Endotoxin tested per USP <85> kinetic turbidimetric method. Acceptance criteria per client specification.
- Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.
- Chromatogram shown is representative: Conformity V1 (99.86% purity, closest to batch mean of 99.85%).




Dr. Greg Kalyuzhny
Lab Director
5/31/2026

COA #: COA-2026-P4NCBE
Access Code: UXCXWLSC
Verify: portal.ils-lab.com/verify/_NJOEGTIDL6vk2M
Issued: 5/31/2026