

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

Tirzepatide - 15mg

Tested for: Felix Chem LLC

PASS

COA #: COA-2026-B0SZP3
Lot Number: 051926-T15-C
Accession #: ACC-2026-2930
Labeled Content: 15mg
Sample Matrix: Lyophilized

Method: Full QC Panel
Analysis Date: 05/28/2026
Appearance: Good
Vial Size: 10mL
Date Received: 05/20/2026



Scan to verify
authenticity at ils-lab.com

Identity

Tirzepatide

Peptide Purity

99.63%



Fentanyl
Free


Full QC Panel

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	99.63%	%	PASS
Net Peptide Content	Report Only	15.52	mg	N/A
Identity (ID)	Tirzepatide	Confirmed	-	PASS
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	Not Detected	-	PASS



Tirzepatide 15mg - 051926-T15-C

HPLC Chromatogram



Tirzepatide 15mg - 051926-T15-C: UV Chromatogram

Heavy Metals Analysis (ICP-MS)

Test	Specification	Result	Status
Arsenic (As)	NMT 1.5 ppm	Not Detected	PASS
Cadmium (Cd)	NMT 0.5 ppm	Not Detected	PASS
Chromium (Cr)	NMT 10 ppm	Not Detected	PASS
Mercury (Hg)	NMT 1.5 ppm	Not Detected	PASS
Lead (Pb)	NMT 1 ppm	Not Detected	PASS



Dr. Greg Kalyuzhny

Dr. Greg Kalyuzhny
Lab Director
5/31/2026

COA #: COA-2026-B0SZP3
Access Code: 9IZXXCHR
Verify: portal.ils-lab.com/verify/3MLgqYBbT_YCpAX5
Issued: 5/31/2026



Certificate of Analysis

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

Tirzepatide - 15mg

Tested for: Felix Chem LLC

PASS

COA #: COA-2026-B0SZP3
Lot Number: 051926-T15-C
Accession #: ACC-2026-2930
Labeled Content: 15mg
Sample Matrix: Lyophilized

Method: Full QC Panel
Analysis Date: 05/28/2026
Appearance: Good
Vial Size: 10mL
Date Received: 05/20/2026



Scan to verify
authenticity at ils-lab.com

Sterility Testing (PCR)

Test	Specification	Result	Status
Sterility (PCR)	No Growth	No Growth	PASS

Endotoxin Testing (USP <85>)

Test	Specification	Result	Status
Endotoxin (USP <85>)	Report Result	NMT 0.05 EU/mL	Reported

About this result: Endotoxin is reported as a quantitative value. Acceptable limits vary by product type and matrix, so no universal pass/fail threshold applies to RUO products. This result is below commonly referenced endotoxin thresholds.

Notes & Methodology

- Date Tested: 05/28/2026. Methods: Full QC Panel.
- The sample was confirmed to be Tirzepatide by HPLC. Identification by chromatographic retention time comparison with a reference standard.
- Elemental impurities analyzed by ICP-MS per USP <233> methodology. Acceptance criteria are internal laboratory quality screening limits for research-use materials and do not represent evaluation against any specific pharmacopeial monograph or product specification.
- Endotoxin tested per USP <85> kinetic turbidimetric method. Acceptance criteria per client specification.
- Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.



Handwritten signature

Dr. Greg Kalyuzhny
Lab Director
5/31/2026

COA #: COA-2026-B0SZP3
Access Code: 9IZXXCHR
Verify: portal.ils-lab.com/verify/3MLgqYBbT_YCpAX5
Issued: 5/31/2026